

Supplemental fig 1. Distribution of DSP areas in a) China and b) Wuhan city




a) DSP areas across China (n=605)

b) DSP areas in Wuhan city (n=3)


Supplemental fig 2. Trends in weekly mortality rates from selected major diseases during January 2015 and March 2020 in DSP areas




Supplemental fig 3. Distribution of deaths from different types of pneumonia by time in Wuhan, 2020 vs 2015-19




Supplemental fig 4. Trends in weekly observed (red line) versus predicted (blue line) mortality rates from pneumonia during 1 January and 31 March 2020 in different DSP areas (with different mortality scales used in Wuhan and elsewhere)




Supplemental fig 5. Trends in age-specific weekly all-cause, pneumonia and other disease mortality rates during 1 January and 31 March in 2020 (red line) versus 2015-2019 (blue line) at ages 30-69 in different DSP areas (with different mortality scales used in Wuhan and elsewhere)




Supplemental fig 6. Trends in weekly mortality rates from pneumonia and other diseases during 1 January and 31 March in 2020 (red line) versus 2019 (blue line) in central urban and suburban districts of Wuhan city



Supplemental fig 7. Trends in weekly mortality rates from pneumonia and non-pneumonia diseases during 1 January and 31 March in 2020 (red line) versus 2019 (blue line) by sex in Wuhan city



Supplemental fig 8: Trends in weekly mortality rate from selected major diseases during 1 January and 31 March in 2020 (red line) versus 2015-2019 (blue line) in different DSP areas (A. Wuhan DSP; B. Hubei without Wuhan; C. China without Hubei)



Supplemental table 1. Causes of death and associated ICD-10 codes

| Causes of death | ICD-10 codes | | | | | |
|--|--|--|--|--|--|--|
| Infectious diseases (communicable diseases plus maternal, perinatal, and nutritional conditions) | A00–B99, G00–G04, N70–N73, J00–J06, J10–J18, J20–J22, J98.4,H65–H66, O00–O99, P00–P96, E00–E02, E40–E46, E50, D50–D53, D64.9, E51–E64, U07.1 | | | | | |
| Pneumonia | J12-J18, J98.4, U07.1 | | | | | |
| Virus pneumonia (unspecified) | J12, J12.8, J12.9 | | | | | |
| Other pneumonia | J12.0-J12.7, J13-J18, J98.4 | | | | | |
| COVID-19 | U07.1 | | | | | |
| Other diseases | A00–B99, G00–G04, N70–N73, J00–J06, J10–J11, J20–J22, H65–H66, O00–O99, P00–P96, E00–E02, E40–E46, E50, D50–D53, D64.9, E51–E64 | | | | | |
| 2) Chronic non-communicable diseases (NCDs) | C00–C97, D00–D48, D55–D64 (minus D64.9), D65–D89, E03–E07, E10–E16, E20–E34, E65–E88, F01–F99, G06–G98, H00–H61, H68–H93, I00–I99, J30–J98 (minus J98.4), K00–K92, N00–N64, N75–N98, L00–L98, M00–M99, Q00–Q99 | | | | | |
| Cancer | C00-C97 | | | | | |
| Cardiovascular diseases | 100–199 | | | | | |
| Myocardial infarction | 120–125 | | | | | |
| Ischemic stroke | 163, 165, 166, 176.2, 167.3, 167.5, 167.6, 169.3 | | | | | |
| Hemorrhagic stroke | 160–162, 167.0, 176.1, 196.0, 169.1, 169.2 | | | | | |
| Hypertensive heart disease | I10–I13 | | | | | |
| Chronic respiratory disease | J30–J98 (minus J98.4) | | | | | |
| COPD | J40-J44 | | | | | |
| Chronic kidney diseases | N02-N08.8, N15.0, N18-N18.9 | | | | | |
| Diabetes | E10-E14 | | | | | |
| Other NCDs | D00–D48, D55–D64 (minus D64.9), D65–D89, E03– E07, E15-E16, E20–E34, E65–E88, F01–F99, G06– G98, H00–H61, H68–H93, K00–K92,N00-N01, N08.9,N15, N15.1 - N17.9, N19-N64, L00–L98, M00– M99, Q00–Q99 | | | | | |
| 3) Injury | V01–Y89 | | | | | |
| Traffic accidents | V01–V04, V06, V09–V80, V87, V89, V99 | | | | | |
| Suicide | X60–X84, Y87.0 | | | | | |
| Fall | W00–W19 | | | | | |
| Other injury | V05, V08,V81-V86,V88,W20-X59, X85- Y86,Y87,Y87.1-Y89 | | | | | |

Supplemental table 2. Number of deaths during the first quarter reported by 22 May in each year and adjustment ratios for delay in reporting across different DSP areas

| Week | Starting date of the week | Wuhan DSP (n=3) | | | Hubei without Wuhan (n=19) | | | China without Hubei (n=583) | | |
|-------|---------------------------------|---|-----------------------------------|--------------------------------|--------------------------------------|-----------------------------------|---|--------------------------------------|-----------------------------------|--------------------------------|
| | | Mean No. of reported Deaths, 2015-19 | Delay adjustment ratio (%)* | No. of reported deaths in 2020 | Mean No. of reported Deaths, 2015-19 | Delay adjustment ratio (%)* | No. of reported deaths in 2020 | Mean No. of reported Deaths, 2015-19 | Delay adjustment ratio (%)* | No. of reported deaths in 2020 |
| 1 | 1 Jan | 321 | 96.94 | 339 | 1771 | 90.84 | 1697 | 49771 | 83.88 | 41138 |
| 2 | 8 Jan | 305 | 95.87 | 341 | 1660 | 91.26 | 1589 | 45315 | 84.51 | 37229 |
| 3 | 15 Jan | 321 | 96.28 | 372 | 1681 | 90.15 | 1699 | 46472 | 83.80 | 37349 |
| 4 | 22 Jan | 310 | 95.27 | 614 | 1635 | 90.06 | 1577 | 43955 | 84.19 | 36447 |
| 5 | 29 Jan | 302 | 94.46 | 879 | 1702 | 88.66 | 1638 | 44117 | 83.21 | 38134 |
| 6 | 5 Feb | 332 | 94.73 | 892 | 1709 | 88.62 | 1562 | 45516 | 82.23 | 36889 |
| 7 | 12 Feb | 308 | 95.20 | 666 | 1694 | 88.80 | 1541 | 44453 | 82.23 | 35078 |
| 8 | 19 Feb | 305 | 94.54 | 509 | 1704 | 89.39 | 1478 | 43147 | 82.63 | 34667 |
| 9 | 26 Feb | 284 | 91.43 | 400 | 1732 | 88.53 | 1405 | 44183 | 80.14 | 33214 |
| 10 | 4 Mar | 272 | 90.95 | 370 | 1526 | 87.02 | 1354 | 41756 | 77.54 | 32198 |
| 11 | 11 Mar | 252 | 91.11 | 324 | 1459 | 85.87 | 1336 | 40717 | 76.93 | 30380 |
| 12 | 18 Mar | 261 | 88.37 | 293 | 1376 | 85.13 | 1375 | 38707 | 75.85 | 31002 |
| 13 | 25 Mar | 228 | 86.81 | 278 | 1148 | 83.44 | 1252 | 31495 | 74.96 | 27399 |
| Total | Jan-March | 3801 | 93.52 | 6277 | 20797 | 88.50 | 19503 | 559604 | 81.20 | 451124 |

^{*} Estimated as the mean weekly number of deaths during January-March in 2015-19 that were reported by 22 May each year divided by the mean weekly number of deaths for the same period reported by the end of February in the following year.

Supplemental table 3. Annual population size across different DSP areas during 2015-19

| Year | Wuhan DSP (n=3) | | | Hubei without Wuhan (n=19) | | | China without Hubei (n=583) | | | |
|------|-----------------|---------|---------|----------------------------|---------|----------|-----------------------------|-----------|-----------|--|
| | Men | Women | Total | Men | Women | Total | Men | Women | Total | |
| 2015 | 1108341 | 1094322 | 2202663 | 5265062 | 5083899 | 10348961 | 163552667 | 156203059 | 319755726 | |
| 2016 | 1148420 | 1131780 | 2280200 | 5200237 | 5015963 | 10216200 | 164335157 | 157124086 | 321459243 | |
| 2017 | 1164908 | 1149361 | 2314269 | 5214936 | 5037277 | 10252213 | 165202090 | 158449944 | 323652034 | |
| 2018 | 1150377 | 1143048 | 2293425 | 5158014 | 5021284 | 10179298 | 165653657 | 159068552 | 324722209 | |
| 2019 | 1195157 | 1105730 | 2300887 | 5049926 | 5106690 | 10156616 | 166277297 | 159610706 | 325888003 | |

Supplemental Table 4. Observed mortality rates (per 100,000) from selected major diseases in 2020 versus mean of 2015-2019 across different DSP areas

| | | Wuhan DS | P | Hubei without Wuhan | | | China without Hubei | | |
|--------------------------------|--------|----------|---------------|---------------------|---------|---------------|---------------------|---------|---------------|
| Causes of death | 2020 | 2015-19 | Rate ratio | 2020 | 2015-19 | Rate ratio | 2020 | 2015-19 | Rate ratio |
| All cause | 1147.2 | 667.8 | 1.72 | 867.3 | 813.8 | 1.07 | 675.4 | 692.6 | 0.98 |
| (i) Infectious diseases* | 290.1 | 35.0 | 8.29 | 27.6 | 27.7 | 1.00 | 20.3 | 29.3 | 0.69 |
| Pneumonia | 275.2 | 20.3 | 13.58 | 11.4 | 13.8 | 0.82 | 9.5 | 16.6 | 0.57 |
| Unspecified viral | 34.6 | 0.2 | 141.76 | 1.8 | 0.6 | 2.95 | 0.4 | 1.1 | 0.35 |
| Others pneumonia | 48.0 | 20.0 | 2.40 | 5.0 | 13.2 | 0.38 | 9.0 | 15.5 | 0.59 |
| COVID-19 | 192.6 | 0 | _ | 4.6 | 0 | _ | 0.05 | 0 | _ |
| Others | 14.9 | 14.7 | 1.01 | 16.2 | 13.9 | 1.16 | 10.8 | 12.7 | 0.85 |
| (ii) Non-communicable diseases | 757.6 | 586.4 | 1.29 | 744.1 | 703.4 | 1.06 | 606.7 | 610.4 | 0.99 |
| Cancer | 186.4 | 167.0 | 1.12 | 179.1 | 154.1 | 1.16 | 153.9 | 149.0 | 1.03 |
| CVD | 408.1 | 310.6 | 1.31 | 416.1 | 387.3 | 1.07 | 334.0 | 329.7 | 1.01 |
| MI | 139.9 | 116.2 | 1.20 | 150.4 | 137.4 | 1.09 | 135.9 | 131.2 | 1.04 |
| Ischemic stroke | 56.6 | 55.7 | 1.02 | 90.8 | 103.5 | 0.88 | 58.5 | 65.7 | 0.89 |
| Hemorrhagic stroke | 96.9 | 70.3 | 1.38 | 70.0 | 50.8 | 1.38 | 82.2 | 73.5 | 1.12 |
| Hypertensive heart disease | 59.9 | 24.8 | 2.41 | 48.3 | 47.2 | 1.02 | 24.4 | 24.7 | 0.99 |
| Chronic respiratory disease | 55.6 | 46.2 | 1.20 | 73.4 | 103.6 | 0.71 | 55.2 | 72.9 | 0.76 |
| COPD | 45.5 | 37.6 | 1.21 | 64.9 | 96.8 | 0.67 | 50.2 | 67.7 | 0.74 |
| Diabetes | 45.6 | 20.2 | 2.25 | 17.5 | 13.1 | 1.33 | 18.5 | 17.2 | 1.07 |
| CKD | 7.2 | 3.9 | 1.86 | 8.5 | 8.0 | 1.06 | 4.3 | 4.6 | 0.94 |
| Others | 54.6 | 38.5 | 1.42 | 49.5 | 37.3 | 1.33 | 40.8 | 37.0 | 1.10 |
| (iii) Injury | 53.7 | 37.5 | 1.43 | 83.6 | 77.2 | 1.08 | 37.7 | 42.6 | 0.88 |
| Traffic accident | 4.6 | 6.6 | 0.69 | 9.4 | 18.4 | 0.51 | 8.7 | 13.4 | 0.65 |
| Suicide | 11.7 | 6.0 | 1.94 | 32.2 | 23.1 | 1.40 | 5.3 | 5.4 | 0.98 |
| Fall | 24.5 | 13.0 | 1.89 | 22.0 | 16.1 | 1.37 | 12.4 | 10.7 | 1.16 |
| Other injuries | 13.0 | 11.9 | 1.09 | 20.0 | 19.6 | 1.02 | 11.3 | 13.1 | 0.86 |
| (iv) Other diseases | 45.8 | 8.9 | 5.12 | 11.9 | 5.5 | 2.15 | 10.8 | 10.4 | 1.04 |

^{*} Includes small number of deaths from maternal, perinatal, and nutritional diseases